ELSEVIER

Information Sciences 121 (1999) 387–395

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

www.elsevier.com/locate/ins

Author index to volumes 113–121

Aeyels, D.
See de Cooman, G.
Akamatsu, N.
See Asogawa, S.
Albus, J.S.
The engineering of mind, 117:1
Alhajj, R. and Polat, F.
Using object-oriented materialized views to answer selection-based complex queries, 118:75
Angeles Gil, M.
See López Díaz, M.
Antoniou, G. and Murray, N.V.
Logical methods for computational intelligence, 116:1
Antoniou, G.
See Ghose, A.K.
Aoe, J.-i.
See Fuketa, M.
Asogawa, S. and Akamatsu, N.
A new model for the source of vowels based on the vortex sound, 116:165

Badard, R.
Expressions on a fuzzy pretopological substratum, 116:205
Banerjee, S., Mukherjee, D.P. and Majumdar, D.D.
Fuzzy *c*-means approach to tissue classification in multimodal medical imaging, 115:261
Bergadano, F., Puliafito, A., Riccobene, S., Ruffo, G. and Vita, L.
Java-based and secure learning agents for information retrieval in distributed systems, 113:55
Berghammer, R.
Combining relational calculus and the Dijkstra–Gries method for deriving relational programs, 119:155
Bertoluzza, C.
See Naval, G.
Billington, D.
Proving quantified literals in Defeasible Logic, 116:55
Blundo, C. and Cresti, A.
Unconditional secure conference key distribution schemes with disenrollment capability, 120:113
Bodjanova, S.
Exploratory analysis of empirical frequency distributions based on partition entropy, 121:135
Bouchon-Meunier, B. and Kreinovich, V.
Fuzzy modus ponens as a calculus of logical modifiers: Towards Zadeh's vision of implication calculus, 116:219
Brandt, R.D. and Lin, F.
Adaptive interaction and its application to neural networks, 121:201
Brezmes, T.
See Naval, G.
Butcher, G. and Schroeder, C.
A model for addressing software volatility in new system development, 118:121

Cau, A.
See Chen, Z.
Chanas, S. and Zieliński, P.
Ranking fuzzy interval numbers in the setting of random sets – further results, 117:191
Chang, C.-P., Wang, J.-N. and Hsu, L.-H.
Topological properties of twisted cube, 113:147
Chang, C.-Y.
See Wang, J.T.L.
Chang, H.-K. and Yuan, S.-M.
Minimal cost replicated file system with an availability constraint, 119:107

0020-0255/99/$ - see front matter © 1999 Elsevier Science Inc. All rights reserved.
PII: S0020-0255(99)00142-5

Chang, M.-S.
See Lin, M.-S.
Chang, P.Y.
See Chen, D.J.
Chang, R.-S.
Jump number maximization for proper interval graphs and series–parallel graphs, 115:103
Chaudhry, N., Moyne, J. and Rundensteiner, E.A.
An extended database design methodology for uncertain data management, 121:83
Chaudhuri, B.B. and Rosenfeld, A.
A modified Hausdorff distance between fuzzy sets, 118:159
Chaudhuri, P.
A self-stabilizing algorithm for minimum-depth search of graphs, 118:241
Chen, D.J. and Chang, P.Y.
An efficient multipath routing for distributed computing systems with data replication, 120:143
Chen, D.-J.
See Lin, M.-S.
Chen, D.-J.
See Lee, C.-Y.
Chen, G.
See Chen, L.
Chen, G.
See Liu, Y.
Chen, J.-G.
See Webster II, L.
Chen, J.K. and Chin, Y.H.
A concurrency control algorithm for nearest neighbor query, 114:187
Chen, K. and Chen, Z.
Static analysis of life and death in the game of Go, 121:113
Chen, L., Cooley, D.H. and Zhang, J.
The equivalence between two definitions of digital surfaces, 115:201
Chen, L., Chen, G. and Lee, Y.-W.
Fuzzy modeling and adaptive control of uncertain chaotic systems, 121:27
Chen, S.-H.
See Hsieh, C.-H.
Chen, Z., Zedan, H., Cau, A. and Yang, H.
A wide-spectrum language for object-based development of real-time systems, 118:15
Chen, Z.
See Chen, K.
Cheng, L.
See Shen, L.
Cheng, P.J. and Yang, W.P.
A new content-based access method for video databases, 118:37
Cheng, S.-C.
See Gong, G.
Chin, Y.H.
See Chen, J.K.
Chuang, Y.-C.
See Wang, B.-F.
Cibiceli, D.
See Yazici, A.
Cohen, G.D.
See Encheva, S.B.
Cooley, D.H.
See Chen, L.
Cresti, A.
See Blundo, C.
Cubero, J.C., Medina, J.M., Pons, O. and Vila, M.A.
Data summarization in relational databases through fuzzy dependencies, 121:233

de Cooman, G. and Aeyels, D.
Supremum preserving upper probabilities, 118:173
de Korvin, A.
See Webster II, L.
De Santis, A. and Masucci, B.
A lower bound on the encoding length in lossy transmission, 116:129
Delgoda, M., Mantas, C.J. and Moraga, C.
A fuzzy rule based backpropagation method for training binary multilayer perceptrons, 113:1
Denneberg, D. and Grabisch, M.
Interaction transform of set functions over a finite set, 121:149
Desharnais, J.
Monomorphic characterization of n-ary direct products, 119:275
Dixon, B.
See Lusth, J.C.
Dong, X.-D., Soh, C.B., Gunawan, E. and Tang, L.-Z.
On groups of complex integers used as QAM signals, 113:261

Dormer, R.D. and MacNish, C.
The PAC-learnability of planning algorithms: Investigating simple planning domains, 116:83

Encheva, S.B. and Cohen, G.D.
On linear projective codes which satisfy the chain condition, 118:213

Fehrer, D. and Horacek, H.
Presenting inequations in mathematical proofs, 116:3
Freeman, W.J.
Comparison of brain models for active vs. passive perception, 116:97
Fuketa, M., Morita, K., Lee, S. and Aoe, J.-i.
Efficient controlling of parsing-stack operation for LR parsers, 118:145
Furusawa, H.
See Kawahara, Y.

Gaibisso, C., Nardelli, E. and Proietti, G.
Intersection reporting on two collections of disjoint sets, 114:41
Ganesh Murthy, C.N.S.
See Shanmukh, K.
Ghose, A.K., Antoniou, G., Goebel, R.G. and Sattar, A.
Connections between default reasoning and partial constraint satisfaction, 117:177
Gim, G. and Whalen, T.
Logical second order models: Achieving synergy between computer power and human reason, 114:81
Goebel, R.G.
See Ghose, A.K.
Gong, G., Cheng, S.-C. and Mordeson, J.N.
Vitamin D receptor gene polymorphism affects bone mineral density: An analysis by fuzzy mathematics, 113:113
Goodman, I.R.
Homomorphic-like random set representations for fuzzy logic models using exponentiation with applications to data fusion, 113:85
Goodman, I.R. and Nguyen, H.J.
Probability updating using second order probabilities and conditional event algebra, 121:295
Goodrich, M.A.
See Stirling, W.C.
Gorzalczany, M.B.
On some idea of a neuro-fuzzy controller, 120:69
Gorzalczany, M.B. and Piasta, Z.
Neuro-fuzzy approach versus rough-set inspired methodology for intelligent decision support, 120:45
Grabisch, M.
See Denneberg, D.
Grantner, J.L.
See Patyra, M.J.
Guerrero-Cusumano, J.L.
Multivariate exponential families and the Taguchi loss function, 115:187
Gunawan, E.
See Dong, X.-D.

Haga, T.
An application of the (p, q)-logic to the synthesis of the p-valued logical networks and the $s-(p, q)$-logical completeness, 115:165
Han, B. and Lee, S.-J.
A genetic algorithm approach to measurement prescription in fault diagnosis, 120:223
Han, B., Lee, S.-J. and Yang, H.-T.
Comments on the theory of measurement in diagnosis from first principles, 121:349
Hansen, J.V.
Combining predictors: comparison of five meta machine learning methods, 119:91
Hattensperger, C. and Kempf, P.
Towards a formal framework for heterogeneous relation algebra, 119:193
Ho, C.-S.
See Lin, C.-Y.I.
Ho, Y.-C.
An explanation of ordinal optimization: Soft computing for hard problems, 113:169
Hoang, D.T., Long, P.M. and Vitter, J.S.
Dictionary selection using partial matching, 119:57
Hoare, C.A.R.
See Jifeng, H.
Hong, D.H. and Kim, C.
A note on similarity measures between vague sets and between elements, 115:83
Hoogewijs, A.
See Van Heule, D.
Horacek, H.
See Fehrer, D.

Horng, J.-H.
Neural adaptive tracking control of a DC motor, 118:1
Hsiao, W.J.
See Lai, W.K.
Hsieh, C.-H. and Chen, S.-H.
A model and algorithm of fuzzy product positioning, 121:61
Hsieh, T.-M., Yeh, Y.-S., Lin, C.-H. and Tuan, S.-H.
One-way hash functions with changeable parameters, 118:223
Hsu, K.-H.
See Lee, J.
Hsu, L.-H.
See Chang, C.-P.

Inoue, K.
See Okazaki, T.
Inoue, K.
See Okazaki, T.
Ito, A.
See Okazaki, T.
Ito, A.
See Okazaki, T.

Jan, J.-K.
See Tseng, Y.-M.
Jaoua, A. and Schmidt, G.
Editorial, 119:131
Jaoua, A.
See Yahia, S.B.
Jifeng, H. and Hoare, C.A.R.
Linking theories in probabilistic programming, 119:205
Jun, Y.B., Xin, X.L. and Lee, D.S.
On topological BCI-algebras, 116:253

Kahl, W.
Relational matching for graphical calculi of relations, 119:253
Kak, S.
See Shu, B.
Kak, S.
See Tejomurtula, S.
Karnik, N.N. and Mendel, J.M.
Applications of type-2 fuzzy logic systems to forecasting of time-series, 120:89
Kawahara, Y., Furusawa, H. and Mori, M.
Categorical representation theorems of fuzzy relations, 119:235
Kempf, P.
See Hattensperger, C.
Kim, C.
See Hong, D.H.
Kim, H.G.
See Lee, Y.D.
Kim, S.-W.
See Kim, W.-Y.
Kim, W.-Y., Whang, K.-Y., Lee, Y.-K. and Kim, S.-W.
A recovery method supporting user-interactive undo in database management systems, 114:237
King, G.-H.
See Tzeng, W.-G.
Kreinovich, V.
See Bouchon-Meunier, B.
Kryszkiewicz, M.
Rules in incomplete information systems, 113:271
Ku, K.-L.
See Lee, C.-Y.
Kwan, I. and Li, Q.
A hybrid approach to convert relational schema to object-oriented schema, 117:201

Lai, W.K., Liou, M.C., Shiu, D.R. and Hsiao, W.J.
On a multicast resequencer for ATM networks, 115:11
Lamma, E., Mello, P., Milano, M. and Riguzzi, F.
Integrating induction and abduction in logic programming, 116:25
Lee, B.H.
See Lee, Y.D.
Lee, C.
See Obaidat, M.S.
Lee, C.-Y., Yeh, Y.-S., Chen, D.-J. and Ku, K.-L.
A probability model for reconstructing secret sharing under the internet environment, 116:109
Lee, D.S.
See Jun, Y.B.
Lee, H.-M.
Generalization of the group decision making using fuzzy sets theory for evaluating the rate of aggregative risk in software development, 113:301

Lee, J., Xue, N.-L., Hsu, K.-H. and Yang, S.J.
Modeling imprecise requirements with fuzzy objects, 118:101
Lee, S.
See Fuketa, M.
Lee, S.-J.
See Han, B.
Lee, S.-J.
See Han, B.
Lee, W.-P.
Evolving complex robot behaviors, 121:1
Lee, Y.D., Lee, B.H. and Kim, H.G.
An evolutionary approach for time optimal trajectory planning of a robotic manipulator, 113:245
Lee, Y.-K.
See Kim, W.-Y.
Lee, Y.-W.
See Chen, L.
Lehtokangas, M.
See Salmela, P.
Levene, M. and Loizou, G.
A probabilistic approach to navigation in Hypertext, 114:165
Li, K.
See Pan, Y.
Li, Q. and Wong, R.K.
Multifaceted object modeling with roles: A comprehensive approach, 117:243
Li, Q.
See Kwan, I.
Li, Y.
See Lin, X.
Lin, C.-H.
See Hsieh, T.-M.
Lin, C.-T.
See Shieh, S.-P.
Lin, C.-Y.I. and Ho, C.-S.
Generating domain-specific methodical knowledge for requirement analysis based on methodology ontology, 114:127
Lin, F.
See Brandt, R.D.
Lin, M.-S., Chang, M.-S. and Chen, D.-J.
Efficient algorithms for reliability analysis of distributed computing systems, 117:89
Lin, X., Li, Y. and Tsang, C.-P.
Applying on-line bitmap indexing to reduce counting costs in mining association rules, 120:197
Lin, Y.-B.
See Tsai, W.-N.
Liou, M.C.
See Lai, W.K.
Liu, Y. and Chen, G.
Optimal parameters design of oilfield surface pipeline systems using fuzzy models, 120:13
Liu Jun
See Xu Yang
Loizou, G.
See Levene, M.
Long, P.M.
See Hoang, D.T.
López Díaz, M. and Angeles Gil, M.
An extension of Fubini's theorem for fuzzy random variables, 115:29
Lusth, J.C. and Dixon, B.
A characterization of important algorithms for quantum-dot cellular automata, 113:193

MacLennan, B.J.
Field computation in natural and artificial intelligence, 119:73
MacNish, C.
See Dormer, R.D.
Maguire, L.P.
See Roche, B.
Majumdar, D.D.
See Banerjee, S.
Mäkinen, E.
Generating random binary trees – A survey, 115:123
Malik, D.S., Mordeson, J.N. and Sen, M.K.
Minimization of fuzzy finite automata, 113:323
Mantas, C.J.
See Delgoda, M.
Marx, M.
Relation algebras can tile, 119:173
Masucci, B.
See De Santis, A.
McDaid, L.J.
See Roche, B.
McGinnity, T.M.
See Roche, B.
Medina, J.M.
See Cubero, J.C.
Mello, P.
See Lamma, E.
Mendel, J.M.
See Karnik, N.N.

Milano, M.
See Lamma, E.
Mizoguchi, Y.
Properties of graphs preserved by relational graph rewritings, 119:289
Möller, B.
Calculating with acyclic and cyclic lists, 119:135
Monchi, O. and Taylor, J.G.
A hard wired model of coupled frontal working memories for various tasks, 113:221
Moraga, C.
See Delgoda, M.
Mordeson, J.N.
See Gong, G.
Mordeson, J.N.
See Malik, D.S.
Mori, M.
See Kawahara, Y.
Morita, K.
See Fuketa, M.
Moyne, J.
See Chaudhry, N.
Mukherjee, D.P.
See Banerjee, S.
Murray, N.V.
See Antoniou, G.

Najjar, F. and Slimani, Y.
Extension of the one-shot semijoin strategy to minimize data transmission cost in distributed query processing, 114:1
Nardelli, E.
See Gaibisso, C.
Naval, G., Brezmes, T. and Bertoluzza, C.
A generalized theory of preference, 113:313
Nelson, D.
See Obaidat, M.S.
Nguyen, H.T.
See Goodman, I.R.

Obaidat, M.S., Lee, C. Sadoun, B. and Nelson, D.
Estimation of pitch period of speech signal using a new dyadic wavelet algorithm, 119:21
Ogata, H.
See Rodríguez, L.
Okazaki, T., Inoue, K., Ito, A. and Wang, Y.
A note on two-dimensional probabilistic Turing machines, 113:205
Okazaki, T., Inoue, K., Ito, A. and Wang, Y.
Closure properties of the classes of sets recognized by space-bounded two-dimensional probabilistic Turing machines, 115:61
Ounalli, H.
See Yahia, S.B.

Pan, Y. and Li, K.
Constant-time algorithm for computing the Euclidean distance maps of binary images on 2D meshes with reconfigurable buses, 120:209
Pardo, M.C.
Nested models for categorical data, 118:269
Patyra, M.J. and Grantner, J.L.
Hardware implementations of digital fuzzy logic controllers, 113:19
Payri, B.
Knowledge base improvement through genetic algorithms, 114:63
Perrin, P. and Petry, F.
An information-theoretic based model for large-scale contextual text processing, 116:229
Petry, F.
See Perrin, P.
Piasta, Z.
See Gorzalczany, M.B.
Polat, F.
See Alhajj, R.
Pons, O.
See Cubero, J.C.
Pribram, K.H.
Quantum holography: Is it relevant to brain function?, 115:97
Proietti, G.
See Gaibisso, C.
Puliafito, A.
See Bergadano, F.

Qin Keyun
See Xu Yang
Qu, L. and Sun, R.
A synergetic approach to genetic algorithms for solving traveling salesman problem, 117:267

Rahayu, J.W.
See Taniar, D.

Riccobene, S.
See Bergadano, F.
Riguzzi, F.
See Lamma, E.
Roche, B., McGinnity, T.M., Maguire, L.P. and McDaid, L.J.
Modeling architectures for VLSI implementations of fuzzy logic systems, 115:1
Rodríguez, L., Ogata, H. and Yano, Y.
TVOO: A Temporal Versioned Object-Oriented data model, 114:281
Rosenfeld, A.
See Chaudhuri, B.B.
Ruffo, G.
See Bergadano, F.
Rundensteiner, E.A.
See Chaudhry, N.

Saarinen, J.
See Salmela, P.
Sadoun, B.
See Obaidat, M.S.
Salicrú, M. and Sánchez, P.
Pseudocontinuity in hierarchical classifications, 120:257
Salmela, P., Lehtokangas, M. and Saarinen, J.
Neural network based digit recognition system for voice dialling in noisy environments, 121:171
Sánchez, P.
See Salicrú, M.
Sattar, A.
See Ghose, A.K.
Saygın, Y., Ulusoy, Ö. and Yazıcı, A.
Dealing with fuzziness in active mobile database systems, 120:23
Schmidt, G.
See Jaoua, A.
Schroeder, C.
See Butcher, G.
Sen, M.K.
See Malik, D.S.
Shanmukh, K., Ganesh Murthy, C.N.S. and Venkatesh, Y.V.
Applications of self-organization networks spatially isomorphic to patterns, 114:23
Shen, H.
See Shen, L.
Shen, L., Shen, H. and Cheng, L.
New algorithms for efficient mining of association rules, 118:251
Shieh, S.-P. and Lin, C.-T.
Auditing user queries in dynamic statistical databases, 113:131
Shiu, D.R.
See Lai, W.K.
Shu, B. and Kak, S.
A neural network-based intelligent metasearch engine, 120:1
Sincich, T.
See Walczak, S.
Slaats, N.
See Van Heule, D.
Slimani, Y.
See Najjar, F.
Soh, C.B.
See Dong, X.-D.
Song Zhenming
See Xu Yang
Stevens, J.G.
On the construction of state diagrams for cellular automata with additive rules, 115:43
Stirling, W.C. and Goodrich, M.A.
Satisficing games, 114:255
Sui, P.-H. and Wang, S.-D.
Fault-tolerant wormhole routing in two-dimensional mesh networks with convex faults, 121:217
Sun, R.
See Qu, L.
Sunitha, M.S. and Vijayakumar, A.
A characterization of fuzzy trees, 113:293

Tan, S.S.
See Webster II, L.
Tang, L.-Z.
See Dong, X.-D.
Taniar, D. and Rahayu, J.W.
Performance analysis of parallelization models for path expression queries, 117:107
Taylor, J.G.
See Monchi, O.
Tejomurtula, S. and Kak, S.
Inverse kinematics in robotics using neural networks, 116:147
Tsai, J.-N.
See Wang, B.-F.

Tsai, W.-N. and Lin, Y.-B.
A performance study of CDPD, 119:41
Tsang, C.-P.
See Lin, X.
Tseng, Y.-M. and Jan, J.-K.
A novel ID-based group signature, 120:131
Tuan, S.-H.
See Hsieh, T.-M.
Tzeng, W.-G. and King, G.-H.
Three-quarter approximation for the number of unused colors in graph coloring, 114:105

Ulusoy, Ö.
See Saygın, Y.

Van Heule, D., Hoogewijs, A. and Slaats, N.
The non-definedness notion in expert systems, 114:53
Varshney, P.K.
See Wu, L.
Varshney, P.K.
See Wu, L.
Venkatesh, Y.V.
See Shanmukh, K.
Vijayakumar, A.
See Sunitha, M.S.
Vila, M.A.
See Cubero, J.C.
Vita, L.
See Bergadano, F.
Vitter, J.S.
See Hoang, D.T.

Waite, N.B.
A real-time system-adapted anomaly detector, 115:221
Walczak, S. and Sincich, T.
A comparative analysis of regression and neural networks for university admissions, 119:1
Wang, B.-F., Tsai, J.-N. and Chuang, Y.-C.
The lowest common ancestor problem on a tree with an unfixed root, 119:125
Wang, G.-J.
On the logic foundation of fuzzy reasoning, 117:47
Wang, J.-N.
See Chang, C.-P.
Wang, J.T.L., Zhang, K. and Chang, C.-Y.
Identifying approximately common substructures in trees based on a restricted edit distance, 121:367
Wang, S.-D.
See Sui, P.-H.
Wang, Y.
See Okazaki, T.
Wang, Y.
See Okazaki, T.
Watson, C.
See Webster II, L.
Webster II, L., Chen, J.-G., Tan, S.S., Watson, C. and de Korvin, A.
Vadidation of authentic reasoning expert systems, 117:19
Whalen, T.
See Gim, G.
Whang, K.-Y.
See Kim, W.-Y.
Winter, M.
A relation algebraic approach to Interaction Categories, 119:301
Wong, R.K.
See Li, Q.
Wu, H.-C.
The central limit theorems for fuzzy random variables, 120:239
Wu, L. and Varshney, P.K.
Performance analysis of CSMA and BTMA protocols in multihop networks: (I). Single channel case, 120:159
Wu, L. and Varshney, P.K.
Performance analysis of CSMA and BTMA protocols in multihop networks: II. Multiple channel case, 120:179

Xin, X.L.
See Jun, Y.B.
Xu Yang, Qin Keyun, Liu Jun and Song Zhenming
L-valued propositional logic L_{vpl}, 114:205
Xue, N.-L.
See Lee, J.

Yager, R.R.
Modeling uncertainty using partial information, 121:271
Yahia, S.B., Ounalli, H. and Jaoua, A.
An extension of classical functional dependency: dynamic fuzzy functional dependency, 119:219

Yang, H.
See Chen, Z.
Yang, H.-T.
See Han, B.
Yang, S.J.
See Lee, J.
Yang, T.
Computational verb systems: averbs and adverbials as modifiers of verbs, 121:39
Yang, T.
Computational verb systems: Modeling with verbs and applications, 117:147
Yang, W.P.
See Cheng, P.J.
Yano, Y.
See Rodríguez, L.
Yazici, A. and Cibiceli, D.
An access structure for similarity-based fuzzy databases, 115:137
Yazıcı, A.
See Saygın, Y.
Yeh, Y.-S.
See Hsieh, T.-M.
Yeh, Y.-S.
See Lee, C.-Y.
Ying, H.
Analytical structure of the typical fuzzy controllers employing trapezoidal input fuzzy sets and nonlinear control rules, 116:177
Yuan, S.-M.
See Chang, H.-K.

Zedan, H.
See Chen, Z.
Zhang, J.
See Chen, L.
Zhang, K.
See Wang, J.T.L.
Zieliński, P.
See Chanas, S.

ELSEVIER

Information Sciences 121 (1999) 397–401

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

www.elsevier.com/locate/ins

Title index to volumes 113–121

A characterization of fuzzy trees
(Sunitha), 113:293

A characterization of important algorithms for quantum-dot cellular automata
(Lusth), 113:193

A comparative analysis of regression and neural networks for university admissions
(Walczak), 119:1

A concurrency control algorithm for nearest neighbor query
(Chen), 114:187

A fuzzy rule based backpropagation method for training binary multilayer perceptrons
(Delgoda), 113:1

A generalized theory of preference
(Naval), 113:313

A genetic algorithm approach to measurement prescription in fault diagnosis
(Han), 120:223

A hard wired model of coupled frontal working memories for various tasks
(Monchi), 113:221

A hybrid approach to convert relational schema to object-oriented schema
(Kwan), 117:201

A lower bound on the encoding length in lossy transmission
(De Santis), 116:129

A model and algorithm of fuzzy product positioning
(Hsieh), 121:61

A model for addressing software volatility in new system development
(Butcher), 118:121

A modified Hausdorff distance between fuzzy sets
(Chaudhuri), 118:159

A neural network-based intelligent metasearch engine
(Shu), 120:1

A new content-based access method for video databases
(Cheng), 118:37

A new model for the source of vowels based on the vortex sound
(Asogawa), 116:165

A note on similarity measures between vague sets and between elements
(Hong), 115:83

A note on two-dimensional probabilistic Turing machines
(Okazaki), 113:205

A novel ID-based group signature
(Tseng), 120:131

A performance study of CDPD
(Tsai), 119:41

A probabilistic approach to navigation in Hypertext
(Levene), 114:165

A probability model for reconstructing secret sharing under the internet environment
(Lee), 116:109

A real-time system-adapted anomaly detector
(Waite), 115:221

A recovery method supporting user-interactive undo in database management systems
(Kim), 114:237

A relation algebraic approach to Interaction Categories
(Winter), 119:301

A self-stabilizing algorithm for minimum-depth search of graphs
(Chaudhuri), 118:241

A synergetic approach to genetic algorithms for solving traveling salesman problem
(Qu), 117:267

A wide-spectrum language for object-based development of real-time systems
(Chen), 118:15

0020-0255/99/$ - see front matter © 1999 Elsevier Science Inc. All rights reserved.
PII: S0020-0255(99)00143-7

Adaptive interaction and its application to neural networks
(Brandt), 121:201
An access structure for similarity-based fuzzy databases
(Yazici), 115:137
An application of the (p,q)-logic to the synthesis of the p-valued logical networks and the $s-(p,q)$-logical completeness
(Haga), 115:165
An efficient multipath routing for distributed computing systems with data replication
(Chen), 120:143
An evolutionary approach for time optimal trajectory planning of a robotic manipulator
(Lee), 113:245
An explanation of ordinal optimization: Soft computing for hard problems
(Ho), 113:169
An extended database design methodology for uncertain data management
(Chaudhry), 121:83
An extension of classical functional dependency: dynamic fuzzy functional dependency
(Yahia), 119:219
An extension of Fubini's theorem for fuzzy random variables
(López Díaz), 115:29
An information-theoretic based model for large-scale contextual text processing
(Perrin), 116:229
Analytical structure of the typical fuzzy controllers employing trapezoidal input fuzzy sets and nonlinear control rules
(Ying), 116:177
Applications of self-organization networks spatially isomorphic to patterns
(Shanmukh), 114:23
Applications of type-2 fuzzy logic systems to forecasting of time-series
(Karnik), 120:89
Applying on-line bitmap indexing to reduce counting costs in mining association rules
(Lin), 120:197
Auditing user queries in dynamic statistical databases
(Shieh), 113:131

Calculating with acyclic and cyclic lists
(Mller), 119:135
Categorical representation theorems of fuzzy relations
(Kawahara), 119:235
Closure properties of the classes of sets recognized by space-bounded two-dimensional probabilistic Turing machines
(Okazaki), 115:61
Combining predictors: comparison of five meta machine learning methods
(Hansen), 119:91
Combining relational calculus and the Dijkstra–Gries method for deriving relational programs
(Berghammer), 119:155
Comments on the theory of measurement in diagnosis from first principles
(Han), 121:349
Comparison of brain models for active vs. passive perception
(Freeman), 116:97
Computational verb systems: averbs and adverbials as modifiers of verbs
(Yang), 121:39
Computational verb systems: Modeling with verbs and applications
(Yang), 117:147
Connections between default reasoning and partial constraint satisfaction
(Ghose), 117:177
Constant-time algorithm for computing the Euclidean distance maps of binary images on 2D meshes with reconfigurable buses
(Pan), 120:209

Data summarization in relational databases through fuzzy dependencies
(Cubero), 121:233
Dealing with fuzziness in active mobile database systems
(Saygn), 120:23
Dictionary selection using partial matching
(Hoang), 119:57

Editorial
(Jaoua), 119:131
Efficient algorithms for reliability analysis of distributed computing systems
(Lin), 117:89
Efficient controlling of parsing-stack operation for LR parsers
(Fuketa), 118:145

Estimation of pitch period of speech signal using a new dyadic wavelet algorithm
(Obaidat), 119:21
Evolving complex robot behaviors
(Lee), 121:1
Exploratory analysis of empirical frequency distributions based on partition entropy
(Bodjanova), 121:135
Expressions on a fuzzy pretopological substratum
(Badard), 116:205
Extension of the one-shot semijoin strategy to minimize data transmission cost in distributed query processing
(Najjar), 114:1

Fault-tolerant wormhole routing in two-dimensional mesh networks with convex faults
(Sui), 121:217
Field computation in natural and artificial intelligence
(MacLennan), 119:73
Fuzzy c-means approach to tissue classification in multimodal medical imaging
(Banerjee), 115:261
Fuzzy modeling and adaptive control of uncertain chaotic systems
(Chen), 121:27
Fuzzy modus ponens as a calculus of logical modifiers: Towards Zadeh's vision of implication calculus
(Bouchon-Meunier), 116:219

Generalization of the group decision making using fuzzy sets theory for evaluating the rate of aggregative risk in software development
(Lee), 113:301
Generating domain-specific methodical knowledge for requirement analysis based on methodology ontology
(Lin), 114:127
Generating random binary trees – A survey
(Mkinen), 115:123

Hardware implementations of digital fuzzy logic controllers
(Patyra), 113:19
Homomorphic-like random set representations for fuzzy logic models using exponentiation with applications to data fusion
(Goodman), 113:85

Identifying approximately common substructures in trees based on a restricted edit distance
(Wang), 121:367
Integrating induction and abduction in logic programming
(Lamma), 116:25
Interaction transform of set functions over a finite set
(Denneberg), 121:149
Intersection reporting on two collections of disjoint sets
(Gaibisso), 114:41
Inverse kinematics in robotics using neural networks
(Tejomurtula), 116:147

Java-based and secure learning agents for information retrieval in distributed systems
(Bergadano), 113:55
Jump number maximization for proper interval graphs and series–parallel graphs
(Chang), 115:103

Knowledge base improvement through genetic algorithms
(Payri), 114:63

L-valued propositional logic L_{vpl}
(Yang), 114:205
Linking theories in probabilistic programming
(Jifeng), 119:205
Logical methods for computational intelligence
(Antoniou), 116:1
Logical second order models: Achieving synergy between computer power and human reason
(Gim), 114:81

Minimal cost replicated file system with an availability constraint
(Chang), 119:107
Minimization of fuzzy finite automata
(Malik), 113:323
Modeling architectures for VLSI implementations of fuzzy logic systems
(Roche), 115:1
Modeling imprecise requirements with fuzzy objects
(Lee), 118:101

Modeling uncertainty using partial information
(Yager), 121:271
Monomorphic characterization of n-ary direct products
(Desharnais), 119:275
Multifaceted object modeling with roles: A comprehensive approach
(Li), 117:243
Multivariate exponential families and the Taguchi loss function
(Guerrero-Cusumano), 115:187

Nested models for categorical data
(Pardo), 118:269
Neural adaptive tracking control of a DC motor
(Horng), 118:1
Neural network based digit recognition system for voice dialling in noisy environments
(Salmela), 121:171
Neuro-fuzzy approach versus rough-set inspired methodology for intelligent decision support
(Gorzalczany), 120:45
New algorithms for efficient mining of association rules
(Shen), 118:251

On a multicast resequencer for ATM networks
(Lai), 115:11
On groups of complex integers used as QAM signals
(Dong), 113:261
On linear projective codes which satisfy the chain condition
(Encheva), 118:213
On some idea of a neuro-fuzzy controller
(Gorzalczany), 120:69
On the construction of state diagrams for cellular automata with additive rules
(Stevens), 115:43
On the logic foundation of fuzzy reasoning
(Wang), 117:47
On topological BCI-algebras
(Jun), 116:253
One-way hash functions with changeable parameters
(Hsieh), 118:223
Optimal parameters design of oilfield surface pipeline systems using fuzzy models
(Liu), 120:13

Performance analysis of CSMA and BTMA protocols in multihop networks (I). Single channel case
(Wu), 120:159
Performance analysis of CSMA and BTMA protocols in multihop networks II. Multiple channel case
(Wu), 120:179
Performance analysis of parallelization models for path expression queries
(Taniar), 117:107
Presenting inequations in mathematical proofs
(Fehrer), 116:3
Probability updating using second order probabilities and conditional event algebra
(Goodman), 121:295
Properties of graphs preserved by relational graph rewritings
(Mizoguchi), 119:289
Proving quantified literals in Defeasible Logic
(Billington), 116:55
Pseudocontinuity in hierarchical classifications
(Salicru), 120:257

Quantum holography: Is it relevant to brain function?
(Pribram), 115:97

Ranking fuzzy interval numbers in the setting of random sets – further results
(Chanas), 117:191
Relation algebras can tile
(Marx), 119:173
Relational matching for graphical calculi of relations
(Kahl), 119:253
Rules in incomplete information systems
(Kryszkiewicz), 113:271

Satisficing games
(Stirling), 114:255
Static analysis of life and death in the game of Go
(Chen), 121:113
Supremum preserving upper probabilities
(de Cooman), 118:173

The central limit theorems for fuzzy random variables
(Wu), 120:239
The engineering of mind
(Albus), 117:1

The equivalence between two definitions of digital surfaces
(Chen), 115:201
The lowest common ancestor problem on a tree with an unfixed root
(Wang), 119:125
The non-definedness notion in expert systems
(Van Heule), 114:53
The PAC-learnability of planning algorithms: Investigating simple planning domains
(Dormer), 116:83
Three-quarter approximation for the number of unused colors in graph coloring
(Tzeng), 114:105
Topological properties of twisted cube
(Chang), 113:147
Towards a formal framework for heterogeneous relation algebra
(Hattensperger), 119:193
TVOO: A Temporal Versioned Object-Oriented data model
(Rodríguez), 114:281

Unconditional secure conference key distribution schemes with disenrollment capability
(Blundo), 120:113
Using object-oriented materialized views to answer selection-based complex queries
(Alhajj), 118:75

Vadidation of authentic reasoning expert systems
(Webster II), 117:19
Vitamin D receptor gene polymorphism affects bone mineral density: An analysis by fuzzy mathematics
(Gong), 113:113